


APC SERIES



APC1 END A = 3-ft Snakeskin fanout, END B = 3-ft. Snakeskin fanout

cable
212 W2A12AC: 2 AES/EBU double-shielded audio pairs + 12 AWG shielded power
214 W2A14AC: 2 double-shielded audio pairs + 14 AWG shielded power


audio END A
F W13F [XLR3F]
M W13M [XLR3M]
5 NC5MXXB [XLR5M] **(212 only - uses both audio pairs)**
Q NP3XBAG [1/4" TRSM]

power END A
E15 HBL5266C [5-15P]
E20 HBL5366C [5-20P]
P NAC3FCB [Powercon]
I n/a

audio END B
F W13F [XLR3F]
M W13M [XLR3M]
5 NC5FXXB [XLR5F] **(212 only - uses both audio pairs)**
Q NP3XBAG [1/4" TRSM]

power END B
E15 HBL5269C [5-15R]
E20 HBL5369C [5-20R]
P NAC3FCA [Powercon]
I IEC15IF [15A IEC female]

APC SERIES



APC2 END A = 3-ft Snakeskin fanout, END B = metal box

cable
212 W2A12AC: 2 AES/EBU double-shielded audio pairs + 12 AWG shielded power
214 W2A14AC: 2 double-shielded audio pairs + 14 AWG shielded power


audio END A
F W13F [XLR3F]
M W13M [XLR3M]
5 NC5MXXB [XLR5M] **(212 only - uses both audio pairs)**
Q NP3XBAG [1/4" TRSM]

power END A
E15 HBL5266C [5-15P]
E20 HBL5366C [5-20P]
P (1) NAC3FCB [Powercon]

audio END B
F NC3FDLB1 [XLR3F]
M NC3MDLB1 [XLR3M]
5 NC5FDLB1 [XLR5F] **(212 only - uses both audio pairs)**
Q NJ3FP6CBAG [1/4" TRSF]

power END B
E15 (2) 5-15R duplex
E20 (2) 5-20R duplex
P (4) NAC3MPB [Powercon]

APC SERIES



APC3 END A = 3-ft Snakeskin fanout, END B = rubber box

cable
212 W2A12AC: 2 AES/EBU double-shielded audio pairs + 12 AWG shielded power
214 W2A14AC: 2 double-shielded audio pairs + 14 AWG shielded power

audio END A
F W13F [XLR3F]
M W13M [XLR3M]
5 NC5MXXB [XLR5M] (**212 only - uses both audio pairs**)
Q NP3XBAG [1/4" TRSM]

power END A
E15 HBL5266C [5-15P]
E20 HBL5366C [5-20P]
P (1) NAC3FCB [Powercon]

audio END B
F NC3FDLB1 [XLR3F]
M NC3MDLB1 [XLR3M]
5 NC5FDLB1 [XLR5F] (**212 only - uses both audio pairs**)
Q NJ3FP6CBAG [1/4" TRSF]

power END B
E15 (1) 5-15R duplex
E20 (1) 5-20R duplex
P (2) NAC3MPB [Powercon]